

NFCC National Fire Chiefs Council

The professional voice of the UK Fire & Rescue Service

National Fire Chiefs Council Limited 99 Vauxhall Road Birmingham B7 4HW

Firefighters Personal Protective Equipment

Standard, Specification and Requirements

Wildland Firefighting Snood/Neck tube

Specialist PPE Project – Oct 2021

Registered office: National Fire Chiefs Council Limited, West Midlands Fire Service HQ, 99 Vauxhall Road, Nechells, Birmingham B7 4HW Registered in England as Limited Company No. 03677186. Registered in England as Charity No. 1074071. VAT Registration No. 902 1954 46

SCOPE

This performance specification describes the requirements for a protective wildland firefighting snood/neck tube for both male and female fire fighters.

The fire snood/neck tube should offer the wearer protection from injuries, which could arise through accidents in the working sector for which the fire snood/neck tube is designed.

The snood/neck tube is to be CE marked to BS EN 11612:2015 *Protective clothing* — *Clothing to protect against heat and flame* — *Minimum performance requirements.*

PERFORMANCE REQUIREMENTS

Description and Use

Provision of protective snood/neck tube that meets the general and specific needs of Fire & Rescue Service (FRS) operational personnel.

The product must be suited to the range of wildland firefighting activities carried out during emergency response and training operations. The product must be of such design, robustness, material and specification to meet the needs of these operations. It should also be simple to clean, repair and maintain.

All test performance data must be submitted with tender document, please indicate compliant and submitted where requested. All documentation to be in English.

Firefighting PPE is designed, following a suitable risk assessment, to protect firefighters from risks that cannot be removed by other means.

One potential emerging risk to firefighter's health is exposure to contaminants as a result of the incidents that they attend; some of these contaminants may be carcinogenic.

All Contractors should be mindful of these emerging risks and as such ensure that the PPE is designed to be easily cleaned and decontaminated. In addition methods for identifying that the PPE may be contaminated should also be considered when designing the PPE.

Requirement Reference Number	Requirement	Response Criteria
A1	Snood/Neck tube	Evidence from Tenderer shall constitute:
	Items must be compliant BS EN 11612	 (1) Independent Certification from test laboratories that are accredited to their respective National Accreditation Service, The National Accreditation Service must be members of either EA or ILAC and comply with ISO/IEC 17011:2017. Validity of Certification must be 6 months or more prior to date of expiry, or; A signed letter on official letterhead from the relevant test house stating that work to complete the required certification has been commissioned and certification will be achieved before the required deadline. (2) Detailed Product specification.
A2	Compatibility	Evidence from Tenderer shall constitute:
	Snood/neck tube must conform to BS ISO 16073-2:2019 or ISO/TS 11999-2 NB. BS ISO 16073-2 requires wildland clothing to meet the requirements of ISO/TS 11999-2	 (1) Independent test report from test laboratories that are accredited to their respective National Accreditation Service, The National Accreditation Service must be members of either EA or ILAC and comply with ISO/IEC 17011:2017. Validity of Certification must be 6 months or more prior to date of expiry, or; A signed letter on official letterhead from the relevant test house stating that work to complete the required testing has been commissioned and test report will be achieved before the required deadline. (2) Detailed Product specification.
A3	Ageing	Evidence from Tenderer shall constitute:
	The items must conform to ISO 15384, section 5.6 after 40 wash/dry cycles without any requirements for additional additives or treatments	 (1) Independent Certification from test laboratories that are accredited to their respective National Accreditation Service, The National Accreditation Service must be members of either EA or ILAC and comply with ISO/IEC 17011:2017. Validity of Certification must be 6 months or more prior to date of expiry, or; A signed letter on official letterhead from the relevant test house stating that work to complete the required certification has been commissioned and certification will be achieved before the required deadline.

B1 Snood/neck tube must be available in a generic adjustable size Evidence from Tenderer shall constitute: To include a facility to provide 'made to measure' for wearers that fall outside standard size ranges. Please refer to 5. Sizing and Special Requirements in Stage 1: Pass / Fail Evaluation Questions at within the ITT. Detailed Product specification B2 Each garment will need to be uniquely barcoded in order that the Authority is able to track each garment, particularly if a garment is sent for cleaning, repair and maintenance. The Tenderer must provide an inventory of barcodes with each order delivered and hold a central database of all barcodes suith each order for each Participating Authority. The Tonderer must provide so enable both the Tenderer and the Authority to track the garments throughout each stage of the respective service provision. This information must therefore be accessible to both the Tenderer and Participating Authority throughout the life of each call-off arrangement. Evidence from Tenderer shall constitute:	Wildland snoo	Wildland snood/neck tube - General Requirements		
 barcoded in order that the Authority is able to track each garment, particularly if a garment is sent for cleaning, repair and maintenance. The Tenderer must provide an inventory of barcodes with each order delivered and hold a central database of all barcodes assigned to each order for each Participating Authority. If providing cleaning, repair and maintenance services, the Tenderer must use the unique barcodes to enable both the Tenderer and the Authority to track the garments throughout each stage of the respective service provision. This information must therefore be accessible to both the Tenderer and Participating Authority throughout the life of each call-off 		Snood/neck tube must be available in a generic adjustable size To include a facility to provide 'made to measure' for wearers that fall outside standard size ranges. Please refer to 5. Sizing and Special Requirements in Stage 1: Pass / Fail Evaluation		
	B2	Each garment will need to be uniquely barcoded in order that the Authority is able to track each garment, particularly if a garment is sent for cleaning, repair and maintenance. The Tenderer must provide an inventory of barcodes with each order delivered and hold a central database of all barcodes assigned to each order for each Participating Authority. If providing cleaning, repair and maintenance services, the Tenderer must use the unique barcodes to enable both the Tenderer and the Authority to track the garments throughout each stage of the respective service provision. This information must therefore be accessible to both the Tenderer and Participating Authority throughout the life of each call-off	to demonstrate how the requirement shall be met, and shall include product information of the barcoding system that shall be used to	

Wildland snood/neck tube - Additional Documentation		
C1	The tenderer shall provide all relevant user documentation and manuals that	Evidence from Tenderer shall constitute:
	details how the item is:	User documents that come with the product detailing all the requirements (1, 2, and 3 as
	 Safely used and adjusted (if necessary) 	listed) in English on company headed or branded paperwork
	 Maintained, including repair if relevant 	
	3. Cleaned	
	All of these to be published in English.	

Wildland snood/neck tube - Optional Fire Service Requirement		
D1	No optional requirement	